



Borough of Doylestown Building and Zoning Department

57 West Court Street, Doylestown, PA 18901

215.345.4140

COMMERCIAL BUILDING AND ZONING PERMIT APPLICATION CHECKLIST

YOU MUST COMPLETE THIS CHECKLIST AND ATTACH IT TO YOUR APPLICATION

"CHECK LIST" OF ITEMS REQUIRED FOR APPLICATION	Yes	No	N/A
Completed Permit Application. All applicable portions of the permit should be filled in. If you are unsure about the applicability of a question, please ask at the time of submittal.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Two complete sets of construction plans. Plans must be complete, identical, legible, to scale, and stapled together as two separate sets .	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sewer connection permit or letter from BCWS copy attached	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Act 537 planning module exemption letter received from PA DEP and copy attached	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water connection permit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mechanical plans	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical plans	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Accessibility Plans and Completed Accessibility checklist	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Related plans and specs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prepared To Pay Permit Fees	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

"CHECK LIST" OF ITEMS REQUIRED ON BUILDING AND SITE PLANS	Yes	No	N/A
All drawings, shall be sealed, signed, and dated, by a design professional.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SITE PLANS:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site plans shall be prepared to scale (not less than 1"=20'), with legend, north arrow, and separate vicinity (site location) map.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the correct street address, parcel number and required municipal zoning on the site plans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show and identify all property lines and rights-of-way, with distance from property lines and adjacent buildings on site plans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show all accessible parking spaces and signage per ICC/ANSI A117.1 and the <i>International Building Code</i> on site plan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show accessible curb cuts, ramps and access ways to the building.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show all existing and proposed driveway entrances.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Identify adjacent land uses and zoning.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show all easements, flood ways, and required buffers.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show existing and proposed utilities (with backflow preventers) to serve the site.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show existing and proposed finish grades.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show details, sections, and elevations needed for construction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show all buffer and screening landscaping.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show all required parking and loading spaces and calculations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
AREA CALCULATIONS:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Gross Floor Area (show existing and proposed) - total horizontal area in square feet of each floor within the exterior walls of all buildings on a parcel, as measured at the exterior face of the enclosing walls.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ARCHITECTURAL PLANS:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show architectural floor plans of each floor. These pages must be at least 18" x 24" in size (but not more than 36" x 42"), drawn to a scale of not less than 1/8" = 1'. Indicate (or reproduce) the approved, tested hourly rating, number and location of all rated members and assemblies (walls, columns, beams, floor and ceiling, and ceiling and roof fire-rated design assemblies).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show all fire-rated walls (both existing and new) with their ratings, if not shown elsewhere. Drawings submitted without required fire-rated walls shown will be rejected.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the square footage of each floor on the corresponding floor plans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Commercial Building and Zoning Permit Application Package

Identify the names and uses of each room.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Furnish door schedule(s), including size, type, rating (if any) and hardware.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide all glazing schedules.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show elevations with dimensions defining overall building height, floor-to-floor heights, or heights to ridge and eave as applicable to the type of building construction listed on the UCC application. (Note: Where an existing building is involved, photographs of all sides of the building may be submitted to show elevations. These will be acceptable only if they show all elements necessary to determine compliance with the UCC.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide basement percentage-below-grade calculations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate roof slopes, drainage system and sized through wall scuppers, if applicable to the project.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show fixed seating for assembly occupancy to allow determination of occupancy posting required by <i>International Building Code</i> .	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show wall sections with proposed material sizes, construction and fire-rated assemblies.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show proposed plumbing fixtures and privacy screens on the plans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
If masonry construction is proposed, include the following information:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Type of brick ties and spacing of weep holes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Control joints	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Placement of wall flashing and reinforcement.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Show the floor slab vapor barrier.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Show foundation water-proofing, if applicable.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
All penetrations of fire-rated construction must be per manufacturer's details. The details shall meet or exceed the rating of construction being penetrated. The penetration details shall be exactly as tested by an approved testing laboratory or agency and shall include their system numbers. New penetrations of existing fire-rated walls and assemblies shall be shown with appropriate designs.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show penthouse drawings.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide on the drawings the calculations for the means of egress widths for the entire floor occupancy load and the existing capacity of all exits including all stairs, doors, corridors and ramped exits.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show required ventilation louvers and vent sizes.			
If appropriate for the proposed occupancy, plans should identify all hazardous material control areas, fire barriers and the required fire-resistance ratings for these barriers. All identified control areas shall list the name, class, quantity and method of storage of all hazardous materials processed, manufactured or used in a manufacturing process and contained within its fire barriers. Provide a Material Safety Data Sheet for each listed hazardous material. See sections 414 and 415 of the <i>International Building Code</i> .	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
STRUCTURAL PLANS:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show foundation plans indicating the proposed slab elevations and type of foundation(i.e., mat foundation, caissons, spread footings, etc.).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide preliminary soil analysis data done by a licensed engineer, if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate dimensions of foundations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show type, size and location of piling and pile caps for pile foundation.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate grade beam sizes.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate a footing schedule defining footing sizes and the required reinforcing.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the established footing depth below grade and method of frost protection allowed in section 1805.2.1 of the <i>International Building Code</i> .	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate the thickness of the floor slab, size of reinforcing, slab elevations, and type and details of foundations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate location, size and amount of reinforcing steel.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show foundation corner reinforcing bars and minimum overlapping (as applicable to project structure).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide strength of concrete according to designed soil reports	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show beams, joists, girders, rafters, and/or truss layouts and details of connections, structural steel stud gage, gage size, and connections.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate the sizes and species of all wood members and their respective design strength.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show all columns, girders, joists, purlins, beams and base plates; for wood construction show all headers.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide a complete lintel schedule.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Commercial Building and Zoning Permit Application Package

Indicate the type of anchoring for steel bearing directly on masonry.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate design dead and live, wind, snow, seismic loads for floor areas, roofs, balconies, porches, breezeways, corridors, stairs, mezzanines and platforms. Show concentrated loads, i.e. file rooms, machinery and forklift areas, if greater than those shown on the Code Summary Sheet. Identify shear walls, bracing, strapping fastening, reinforcement and any special anchoring required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Where applicable, indicate on roof framing plan where concentrated loads (mechanical equipment, cranes, etc.) will be placed.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate on foundation and framing plans the location and lateral load resisting system. (Show walls, braced frames, moment connections, etc.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
FIRE PROTECTION PLANS:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Complete a sprinkler design data sheet and include it on the first plan of the sprinkler drawings.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show floor plans for each floor with sprinkler piping layout, pipe sizes, pipe hanger details, piping materials, doors, walls and room identities.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Often, these shop drawings are not available at the time of initial plan submission. If this is the case, write in "NA," but note the following:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • These shop drawings must be submitted for review and approval at least two weeks before the projected installation date. 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Failure to obtain approval of these drawings before installation could result not only in delay of the final inspection and issuance of an occupancy permit, but also in removal and reconstruction of installations which fail to meet UCC requirements. 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show ceiling plans with sprinkler head(s) layout, walls, soffits, openings, doors, dimensions and room identities.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Verify system design by providing hydraulic calculations along with the following:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Recent water flow test 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • percent safety margin 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Type of backflow-preventer or reduced pressure zone showing equivalent foot loss 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Fire pump summary 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Note the type of sprinkler system used (e.g., 13, 13D, or 13R)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
For residential occupancies such as apartments and condominiums, show sprinkler head locations at breezeways, if applicable.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate the certified testing laboratory agency (e.g., U.L.), their test number and hourly ratings of all new and/or affected rated members and assemblies (i.e. columns, beams, floor/ceiling and ceiling/roof fire-rated design assemblies). Show all new and/or affected fire-rated walls with their ratings, if not shown elsewhere.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
All penetrations of fire-rated construction must be per manufacturer's details. Details shall meet or exceed ratings of construction being penetrated. Penetration details shall be exactly as tested by a certified testing laboratory or agency and shall include their system numbers. All new penetrations of existing fire-rated walls and assemblies shall be shown with appropriate designs.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide a fire alarm riser showing connection to a UL-approved central station. Show tamper switches on both OS and Y valves of backflow prevention device, unless shown elsewhere.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate commodity class (per section 2303 of the <i>International Fire Code</i>) and height of any storage.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide Material Safety Data Sheets for any hazardous materials (also specified under Architectural Plans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Where special temperature-rated or high-temperature sprinklers are required, show sprinkler type(s) per area, office size, cut sheets with K-factor, water requirements, spray pattern, coverage and other pertinent data.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SYSTEM CALCULATIONS (FIRE PROTECTION):	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hydraulically calculated and pipe schedule fire systems should be designed with a 10 percent safety margin for all new buildings and additions to existing buildings. Calculations for hydraulic systems should include:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Flow and pressure at each flowing sprinkler head 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Flow diagram for a grid system. 	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PLUMBING PLANS:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show a site utilities plan, if not provided with the civil drawings.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Commercial Building and Zoning Permit Application Package

Show the domestic water, fire, and irrigation services.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the location of water meters, backflow protection type and location.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the sanitary sewer service from building to public sewer or approved private sewage disposal system.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show interceptors as applicable to project and size by flow rate. (i.e., grease, oil, lint, acid, sand).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide plumbing plan layouts for each floor. These should show the water distribution and drain-waste-vent piping, and all details, notes, legends, and schedules necessary to define the system being installed.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the location of all major components required for a complete system.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide fixture and equipment schedule showing fixture number, detailed description, hot water, cold water, waste and vent connection sizes and other pertinent data.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Identify all fixtures on floor plans and in riser diagrams with the plumbing fixture schedule number.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Supply and Waste/Vent piping shall be shown on the floor plans. All pipe sizes shall be clearly shown. In congested areas (e.g., restaurants, grocery stores, etc.), isometrics are required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
On buildings two stories and above, provide isometric diagrams and/or schematic riser diagrams for Supply and Waste/Vent piping and identify the risers by number (e.g., R1, R2, etc.). Show where all riser base terminations connect to the building drain, along with all interconnected piping on each floor plan. All pipe sizes shall be clearly defined.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the water, sanitary drain-waste-vent piping and storm leaders/drains. Indicate sizes and materials for above/below grade.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show slope of horizontal sanitary and storm drains that equal or exceed 3" diameter, if less than 1/8" per foot.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate roof drains and emergency roof drains/scuppers with the areas they impact. Note that "emergency" = "secondary" = "overflow," see following roof drainage examples:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Roof Drain - 6" RD (16880 SF)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Emergency Roof Drain - 6" ERD (8180 SF)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Parapet Wall Scupper - 8" x 5" WS (4000 SF)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• Emergency Scupper - 8" x 7" ES (4200 SF)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show toilet room layouts with minimum of ¼ " = 1 foot scale.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show drinking fountain locations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
All penetrations of fire-rated construction must be per manufacturer's details. The details shall meet or exceed rating of construction being penetrated. The penetration details shall be exactly as tested by an approved testing laboratory or agency and shall include their system numbers.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room names and numbers for each floor should be on a floor plan for each level.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide minimum facilities calculations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Column line notations, if provided on the architectural/structural plans, shall be indicated on the plumbing plans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MECHANICAL PLANS:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show all required wall louvers, penetrations and fans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate roof-mounted equipment locations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show all mechanical equipment, piping, ductwork (above/below slab) on the mechanical floor and/or roof plan.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide mechanical plans for each floor and the roof. These shall show the ductwork layouts, schedules, notes, legends, piping schematics, and details necessary to define the system being installed.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate air distribution devices and show cfm for all supply, return and exhaust devices.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate the location of all equipment components required for a complete system.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the smoke ventilation of atriums and pressurization of high-rise stairwells.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
discharge.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate toilet exhaust requirements.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show mechanical room layouts at sufficient scale for dimensions and details to be ascertained.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the size of duct runs.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate controls for fan shutdown: emergency manual and automatic smoke detection.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show the location of all UL 555-certified fire dampers, ceiling radiation dampers, smoke	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Commercial Building and Zoning Permit Application Package

dampers, and fire doors.			
Show all fire-rated walls (both existing and new) with their ratings on the mechanical plans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
All penetrations of fire-rated construction must be per manufacturer's details.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room names and numbers for each floor should be on a floor plan for each level.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide outside air ventilation rate per the <i>International Mechanical Code</i> .	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
. Column line notations, if provided on the architectural/structural plans, shall be identified on the mechanical plans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide gas piping layout on the floor plan for each floor. If it is a multi-story building, all gas piping shall be shown per floor. Include pipe sizes, water column, and type of material. Provide a schedule of connected equipment, total BTUH demand, total equivalent length, and most remote gas appliance.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ELECTRICAL PLANS:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide panel schedules with circuit and feeder loading, overcurrent protection, and NEC load summaries for all new and/or affected panels and services (loading has to be evaluated by highest phase); include fault current data, short circuit ratings and fault current protection co-ordination.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide a single line riser diagram showing all new and/or affected services, feeders, wire sizes and insulation types, and conduit sizes and types.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate number of services and their physical locations; clearly indicate mains and characteristics.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate the grounding electrode conductor size with new and/or affected services and transformers; where necessary provide details or notes on methods.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show physical locations of all new and/or affected panels and switchgear (indicate front).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate receptacle plans with circuitry.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate lighting plans with circuitry.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show electrical plans for each affected floor, including the roof.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Show wiring method(s), conduit sizes and types, termination temperature (60, 75, 90) requirements, conductor sizes and insulation types.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate the design and/or operation for any of the following applicable life safety systems: emergency generators, smoke evacuation, shaft pressurization and relief, smoke detection, egress and emergency lighting, and fire alarms.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate how special needs such as classified (hazardous), corrosive and patient care are treated. Provide detailed plan of classified areas, the classifications and how complied with (i. e. hangers, waste treatment and collection, flammable dusts, gases or liquids, spray booths, vehicle servicing and parking, etc.).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide all HVAC nameplate data, including MCA and MOCP. List all other appliance and/or equipment (other than those which will be connected to a general use receptacle) with nameplate data (i.e., voltage, phasing, HP, KVA, FLA, RLA, etc.).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate all motor horse power ratings, if not supplied elsewhere.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Indicate the certified testing laboratory or agency (e.g., UL), their test # and hourly ratings of all new and/or affected rated members and assemblies (i.e. columns, beams, floor/ceiling, and ceiling/roof fire-rated design assemblies). Show all new and/or affected fire-rated walls with their ratings, if not shown elsewhere.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
All penetrations of fire-rated construction must be per manufacturer's details. The details shall meet or exceed ratings of construction being penetrated. Penetration details shall be exactly as tested by an approved testing laboratory or agency and shall include their system numbers. New penetrations of existing fire-rated walls and assemblies shall be shown with appropriate designs.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Provide all applicable <i>International Energy Conservation Code</i> compliance data on the Building Code Summary sheet or on the electrical plans.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
All submittals should include a listing and labeling statement. (All electrical materials, devices, appliances and equipment shall be labeled and listed by a certified testing laboratory or agency.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ACCESSABILITY PLANS:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
All accessible features of building, including routes both interior and site, entrances and means of egress, areas of refuge, facilities and elevations, hardware, handrail ramps and other requirements for an accessible building per IBC and ICC/ANSI A 117.1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Signature: _____ Date: _____